

第九十二條附件十三 中藥製劑規格及檢驗方法必須記載之項目及內容表

劑型		傳統劑型																	濃縮劑型							原料藥							
		散劑	顆粒劑	丸劑	錠劑	糖衣錠劑	膜衣錠劑	膠囊劑	軟膠囊劑	膠(膠塊)劑	碎片劑	膏滋(滋膏)劑	糖漿劑	內服液劑	中藥酒劑	外用粉(散)劑	軟膏劑	膏藥(硬膏、油膏)劑	藥膠布劑	外用液(藥洗)劑	外用氣化噴霧劑	濃縮丸劑	濃縮散劑	濃縮粉劑	濃縮顆粒(細粒)劑	濃縮錠劑	濃縮糖衣錠劑	濃縮膜衣錠劑	濃縮膠囊劑	濃縮軟膠囊劑	浸膏劑	流浸膏劑	
外 觀 性 狀	重(容)量	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	差(異)試驗	○	○	○	○	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	平均重量	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	崩散度	×	△	○	○	○	○	○	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	△	○	○	○	○	○	×	×	
	pH值	×	×	×	×	×	×	×	×	×	△	○	○	×	×	×	×	×	○	○	×	×	×	×	×	×	×	×	×	×	×	×	
	比重	×	×	×	×	×	×	×	×	×	△	○	○	×	×	×	×	×	△	△	×	×	×	×	×	×	×	×	×	×	×	×	
	尺寸	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	
	黏附力	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	
	噴射效能	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	○	△	×	×	×	×	×	×	×	×	×	×	×	×	×
	含糖量測定	×	×	×	×	×	×	×	×	×	△	○	△	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	
含醇量測定	×	×	×	×	×	×	×	×	×	×	×	△	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	○		
其他(如溶離度試驗)	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	
鑑 別 試 驗	乾燥減重	○	○	△	○	×	○	×	○	○	×	×	×	○	×	×	×	×	×	×	△	○	○	○	○	○	○	○	○	○	○	○	
	總灰分	○	○	○	○	○	○	○	○	○	×	×	×	×	×	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	
	酸不溶性灰	○	○	○	○	○	○	○	○	○	×	×	×	×	×	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	
	重金屬(以鉛計)	○	○	○	○	○	○	○	○	○	○	○	○	×	×	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	
	重金屬元素(砷 鎘 汞 鉛)	△	△	△	△	△	△	△	△	△	△	△	△	×	×	×	×	×	×	×	△	△	△	△	△	△	△	△	△	△	△	△	
	微生物限量	△	△	△	△	△	△	△	△	○	△	×	△	△	△	△	△	△	△	△	○	○	○	○	○	○	○	○	○	○	○	○	
	農藥殘留	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	
	溶劑殘留	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	△	×	×	×	×	×	×	×	×	×	×	×	×	×	×	
其他	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△		
含 量 測 定	水抽提物	○	○	△	○	○	○	×	○	○	×	×	×	○	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	×	×		
	稀醇抽提物	○	○	△	○	○	○	×	○	○	×	×	×	○	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	×	×		
	指標成分	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	
	固形物	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
	其他	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	

○：原則上要記載 △：必要時記載(可予檢驗者記載之)或依主管機關公告要求記載 ×：可不記載